


INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)



Docket Number (Optional)

641050.9.1

Application Number

09/530233

Applicant(s)

Seguela et al.

Filing Date

30/04/2000

Group Art Unit

Unknown 1646

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

MDP

Bertrand D., et al., (1991) Electrophysiology of Neuronal Nicotinic Acetylcholine Receptors Expressed in *Xenopus* Oocytes Following Nuclear Injection of Genes or cDNAs. In: Methods in Neurosciences (Conn M.P., ed.). Academic Press Inc. New York. pp 174-193.

Bevans S. and Winter J., (1995) Nerve Growth Factor (NGF) Differentially Regulates the Chemosensitivity of Adult Rat Cultured Sensory Neurons. J. Neurosci. 15, 4918-4926.

Bevan S. and Yeats J., (1991) Protons Activate a Cation Conductance in a Sub-population of Rat Dorsal Root Ganglion Neurons. J. Physiol. 433, 145-161.

Canessa C.M., et al., (1994) Amiloride-sensitive Epithelial Na⁺ Channels Is Made of Three Homologous Subunits. Nature. 367, 463-467.

Corey D.P. and Garcia-Anoveros J., (1996) Mechanosensation and the DEG/ENaC Ion Channels. Science. 273, 323-324.

Coscoy S., et al., (1998) The Phe-Met-Arg-Phe-Amide-activated Sodium Channel Is a Tetramer. J. Biol. Chem. 273, 8317-8322.

Dray A. and Perkins M., (1993) Bradykinin and Inflammatory Pain. Trends Neurosci. 16, 99-104.

Firsov, D., et al., (1998) The Heterotetrameric Architecture of the Epithelial Sodium Channel (ENaC). EMBO J. 17, 344-352.

Garcia-Anoveros J., et al., (1997) BNaC1 and BNaC2 Constitute a New Family of Human Neuronal Sodium Channels Related to Degenerins and Epithelial Sodium Channels. Proc. Natl. Acad. Sci. USA. 94, 1459-1464.

Ishibashi, K. and Marumo F., (1998) Molecular Cloning of a DEG/ENaC Sodium Channel cDNA From Human Testis. Biochem. Biophys. Res. Comm. 245, 589-593.

Chen CC., et al., (1998) A Sensory Neuron-specific, Proton-gated Ion Channel. Proc. Natl. Acad. Sci. USA. 95, 10240-10245.

Ugawa S., et al., (1998) Receptor that Leaves a Sour Taste in the Mouth. Nature. 395, 555-556.

MDP

EXAMINER

MICHAEL PAK

DATE CONSIDERED

9/16/02

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE

(Use several sheets if necessary)



Docket Number (Optional)

641050.9-21

Application Number

09/530233

Applicant(s)

Seguela et al.

Filing Date

30/04/2000

Group Art Unit

Unknown 1646

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

MDP

Krishtal O.A. and Pidoplichko V.I., (1981) A Receptor for Protons in the Membrane of Sensory Neurons May Participate in Nociception. Neuroscience. 6, 2599-2601. ✓

Krishtal O.A., et al., (1987) Rapid Extracellular pH Transients Related to Synaptic Transmission in Rat Hippocampal Slices. Brain Res. 436, 352-356. ✓

Lindahl O. (1974) Pain-A General Chemical Explanation. Adv. Neurol. 4, 45-47. ✓

Lingueglia E., et al., (1995) Cloning of the Amiloride-sensitive FMRF Amide Peptide-gated Sodium Channel. Nature. 378, 730-733. ✓

Lingueglia E., et al., (1997) A Modulatory Subunit of Acid Sensing Ion Channels in Brain and Dorsal Root Ganglion Cells. J. Biol. Chem. 272, 29778-29783. ✓

North R.A., (1996) Families of Ion Channels with Two Hydrophobic Segments. Curr. Op. Cell Biol. 8, 474-483. ✓

Price M.P., et al., (1996) Cloning and Expression of a Novel Human Brain Na⁺ Channel. J. Biol. Chem. 271, 7879-7882. ✓

Snyder P.M., et al., (1998) Electrophysiological and Biochemical Evidence that DEG/ENaC Cation Channels Are Composed of Nine Subunits. J. Biol. Chem. 273, 681-684. ✓

Waldmann R. and Lazdunski M., (1998) H⁺-gated Cation Channels: Neuronal Acid Sensors in the NaC/DEG Family of Ion Channels. Curr. Op. Neurobiol. 8, 418-424. ✓

Babinski K., et al., (1999) Molecular Cloning and Regional Distribution of a Human Proton Receptor Subunit with Biphasic Functional Properties. J. Neurochem. 72, 51-57.

Weille JR., et al., (1998) Identification, Functional Expression and Chromosomal Localisation of a Sustained Human Proton-gated Cation Channel. FEBS Lett. 433, 257-260.

Waldmann R., et al., (1996) The Mammalian Degenerin MDEG, an Amiloride-sensitive Cation Channel Activated by Mutations Causing Neurodegeneration in *Caenorhabditis elegans*. J. Biol. Chem. 271, 10433-10436.

MDP

EXAMINER

MICHAEL PAK


DATE CONSIDERED

9/16/02

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)



Docket Number (Optional)

641050.9-1

Application Number

09/530233

Applicant(s)

Seguela et al.

Filing Date

30/04/2000

Group Art Unit

Unknown 1646

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

MDP

Tavernarakis N., et al., (1997) *unc-8*, a DEG/ENaC Family Member, Encodes a Subunit of a Candidate Mechanically Gated Channel that Modulates *C. elegans* Locomotion. Neuron. 18, 107-119. ✓

↑
↓

Waldmann R., et al., (1997) Molecular Cloning of a Non-inactivating Proton-gated Na⁺ Channel Specific for Sensory Neurons. J. Biol. Chem. 272, 20975-20978. ✓

MDP

Waldmann R., et al., (1997) A Proton-gated Cation Channel Involved in Acid-sensing. Nature. 386, 173-177. ✓

EXAMINER

MICHAEL PAK

DATE CONSIDERED

9/16/02

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.